Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14322	(707/10)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:26
L2	108	11 and j2ee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:28
L3	30	I2 and (state\$1 with server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:28
L4	21	l3 and (state\$1 with object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:59
L5	. 135	l1 and (state\$1 adj1 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58
L6	51	I5 and (state\$1 with object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:30
L7	4	I6 and j2ee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:28
L8	. 33	I6 and (replicat\$5 or migrat\$7 or persist\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58
L9	739	(717/120)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58

	Γ			T ==		T
L10	227	l9 and (replicat\$5 or migrat\$7 or persist\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58
L11	14	I10 and (state\$1 adj1 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 19:58
L12	14	I11 and (state\$1 with object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:00
L13	. 13	I12 and servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:00
L14	2	l13 and (state\$1 adj1 servers)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/28 20:00
S1	1735.	((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:38
S2	279601	state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:30
<b>S3</b>	216	(((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:31
S4	79555	state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:31

S5	102	((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/04 14:10
S6	.576132	(state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:34
S7	102	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:34
S8	241987	((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:38
S9	12014	((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (disk\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:38

S10 99	(((((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or maintain\$3 or manag\$3 or persisten\$2) with (stor\$3 or sav\$3 or retain\$3))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:38
S11 14	(((((((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (disk\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 11:49
S12 6	("5664090"   "5748882"   "6105148"   "6161219"   "6397379"   "6421739").PN.	USPAT	OR	OFF	2004/08/02 12:24

		LAST Searc	,	•		
S13	20	container\$1 with manag\$5 with \$4bean\$1	USPAT	OR	OFF	2004/08/02 13:09
S14	674	state\$1 with manag\$5 with type\$1	USPAT	OR	OFF	2004/08/02 12:36
S15	0	(state\$1 with manag\$5 with type\$1) same (memory with replicat\$3)	USPAT	OR	OFF	2004/08/02 12:36
S16	0	(state\$1 with manag\$5 with type\$1) and (container\$1 with manag\$5 with \$4bean\$1)	USPAT	OR	OFF	2004/08/02 12:36
S17	45	(state\$1 with manag\$5 with type\$1) and (((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))	USPAT	OR	OFF	2004/08/02 12:43
S18	294	(((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:39
S19	130	((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:39
S20	76	(((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:39
S21	. ·	((((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:40

			<u> </u>			
S22	75	(((((((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1)) and (state near3 objects)) and (state\$1 with (partition\$4 or \$3divid\$3 or \$3division\$1 or segment\$6 or compartment\$9 or section\$3))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:40
S23		((((((((((((((((((((((((((((((((((((((	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 12:41

		<del>,</del> <del></del>				
S24	34	((state\$1 with manag\$5 with type\$1) and (((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))	USPAT	OR	OFF	2004/08/02 12:43
S25	34	(((state\$1 with manag\$5 with type\$1) and (((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))	USPAT	OR	OFF	2004/08/02 12:43
S26	34	((((state\$1 with manag\$5 with type\$1) and (((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1))	USPAT	OR	OFF	2004/08/02 12:44

				•		
S27	2	(((((state\$1 with manag\$5 with type\$1) and (((enterprise or entity) adj \$4bean\$1) or(persisten\$2 adj object\$1))) and (state\$1 with (replicat\$4 or duplicat\$4 or reproduc\$5 or copies or copy\$3 or clon\$3 or mirror\$3))) and ((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) with (\$3memory or \$3stor\$3 or repositor\$3 or database\$1))) and (((state\$1 or persisten\$2) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or secur\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or sav\$3 or maintain\$3 or manag\$3 or sav\$3 or maintain\$3 or manag\$3 or sav\$3 or maintain\$3 or sav\$3 or retain\$3)) with (disk\$1))	USPAT	OR	OFF	2004/08/02 12:44
S28	4	(container\$1 with manag\$5 with \$4bean\$1) and (state near3 objects)	USPAT	OR	OFF	2004/08/02 13:10
S29	3	("6016489"   "6125383"   "6453333").PN.	USPAT	OR	OFF	2004/08/02 15:00
S30	8	("5911071"   "6282580"   "6347342"   "6438617"   "6438744"   "6453356"   "6510550"   "6522343").PN.	USPAT	OR	OFF	2004/08/02 13:25
S31	69	persistent near2 software	USPAT	OR	OFF	2004/08/02 15:00
S32	0	(persistent near2 software) and EJB	USPAT	OR	OFF	2004/08/02 15:00
S33	3	"PowerTier"	USPAT	OR	OFF	2004/08/02 15:01
S34	2	("6098093"   "6115736").PN.	USPAT	OR	OFF	2004/08/02 17:10
S35	6	(US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$). did.	USPAT	OR	OFF	2004/08/03 11:11
S36	1	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$). did.) and checkpoint\$3	USPAT	OR	OFF	2004/08/03 11:11
S37	6	("5664090"   "5748882"   "6105148"   "6161219"   "6397379"   "6421739").PN.	USPAT	OR	OFF	2004/08/03 16:47

		EAST Searc		,		
S38	7	(US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.	USPAT	OR	OFF	2004/08/04 13:27
S39	2	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and lock\$3	USPAT	OR	OFF	2004/08/04 14:21
S40	2	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and lock\$3	USPAT	OR	OFF	2004/08/04 12:19
S41	5	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and ((repositor\$3 or database\$1 or server\$1) with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))	USPAT	OR	OFF	2004/08/04 13:16
S42	5	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and ((repositor\$3 or database\$1 or server\$1) with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))	USPAT	OR	OFF	2004/08/04 13:16
S43	3	((US-6718538-\$ or US-6169993-\$ or US-6269373-\$ or US-5905987-\$ or US-6298478-\$ or US-6769124-\$ or US-6105148-\$).did.) and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))	USPAT	OR	OFF	2004/08/04 13:41
<b>S44</b>	0	ejb same ((repositor\$3 or database\$1 or server\$1) with migrat\$3 with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))	USPAT	OR	OFF	2004/08/04 14:11
S45	30	ejb and ((repositor\$3 or database\$1 or server\$1) with migrat\$3 with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))	USPAT	OR	OFF	2004/08/04 13:34
S46	30	(ejb and ((repositor\$3 or database\$1 or server\$1) with migrat\$3 with (specifi\$6 or specify\$3 or defin\$6 or schem\$2 or manag\$5))) and (state\$3 near2 (object\$1 or bean\$1))	USPAT	OR	OFF	2004/08/04 13:36

S47	6	((ejb and ((repositor\$3 or database\$1 or server\$1) with migrat\$3 with (specifi\$6 or	USPAT	OR	OFF	2004/08/04 13:36
		specify\$3 or defin\$6 or schem\$2 or manag\$5))) and (state\$3 near2 (object\$1 or bean\$1))) and ("717")".clss"				
S48	65	ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))	USPAT	OR	OFF	2004/08/04 13:41
S49	34	(ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))) and ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))	USPAT	OR :	OFF	2004/08/04 14:19
S50	34	((ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))) and ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))) and ((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))	USPAT	OR	OFF	2004/08/04 14:19

Г <u>т</u>	**			T	T	
S51	0	(((ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))) and ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))) and ((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3))) and (((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4)))	USPAT	OR	OFF	2004/08/04 14:21
S52	0	(ejb and ((migrat\$3 or ship\$4 or transport\$6 or transfer\$4 or replicat\$3) with (repositor\$3 or database\$1 or server\$1))) and (((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4)))	USPAT	OR	OFF	2004/08/04 14:21

			_			
S53		(((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))) and ejb	USPAT	OR	OFF	2004/08/04 14:22
S54	3	(((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))) and ("717")".clss"	USPAT	OR	OFF	2004/08/04 14:23
S55	44	((state\$1 or persist\$4) with (stor\$3 or sav\$3 or maintain\$3 or manag\$3 or persist\$3 or preserv\$3 or conserv\$5 or protect\$3 or sustain\$4 or \$3guard\$3 or secur\$3 or retain\$3)) same ((repositor\$3 or database\$1 or server\$1) with (defin\$3 or specifi\$6 or specify\$3 rule\$1 or model\$1 or strateg\$3 or tactic\$1 or procedure\$1 or policy or policies or plan\$4 or schem\$2 or imperative\$1 or logic\$) with (migrat\$3 or mov\$3 or relocat\$3 or transport\$5 or ship\$4))	USPAT	OR	OFF	2004/08/04 14:27
S64	2442	replicat\$4 with servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:26
S65	14880	(replicat\$4 or persist\$5) with state\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:05

S66	434	S65 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:05
S67	121	S65 same S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:05
S68	4	S67 and (state\$1 with (bean\$1 or EJB\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:06
S69	4165	(replicat\$4 or persist\$5 or migrat\$4) with servers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:26
S70	351	S69 and (server\$1 with (back?end or back?up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 17:27
S71	85	S70 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:22
S72	1898	bean\$1 with state\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:23
S73	234	S72 and ((replicat\$4 or persist\$4 or migrat\$4) with state\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:24
S74	161	S73 and ((replicat\$4 or persist\$4 or migrat\$4) with (server\$1 or storage\$1 or back?end\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:24
S75	125	S74 and ((replicat\$4 or persist\$4 or migrat\$4) with (server\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 19:25

S76	20	S74 and ((replicat\$4 or persist\$4 or migrat\$4) with (servers))	USPAT; EPO; JPO;	OR	OFF	2007/02/23 19:25
			DERWENT;			
			IBM_TDB			